




KFY MANUFACTURING MEXICO LIMITED

INA RASEY30-N bearing units



Bearing No. RASEY30-N

RASEY30-N Bearing 2D drawings and 3D CAD models

Bore Diameter	30 mm
d	30 mm
S1	22,2 mm
Thread (Q)	Rp1/8
A	40 mm
A1	25 mm
B	38,1 mm
H	42,9 mm
H1	17 mm
H2	82 mm
J	118 mm
L	158 mm
N	14 mm
N1	22 mm
Weight	1,13 Kg
Basic dynamic load rating (C)	19,5 kN
Category	Pillow Block Bearings
Inventory	0.0
Manufacturer Name	SCHAEFFLER GROUP
Minimum Buy Quantity	N/A
Weight / Kilogram	1.06
EAN	4012802795943
Product Group	M06110
Number of Mounting Holes	2
Mounting Method	Set Screw
Housing Style	2 Bolt Pillow Block



KFY MANUFACTURING MEXICO LIMITED

Rolling Element	Ball Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Relubricatable	Yes
Insert Part Number	GYE30KRRB
Seals	Double Land Riding Rubber Contact
Housing Configuration	1 Piece Solid
Inch - Metric	Metric
Other Features	Single Row Standard Shaft Height
Long Description	2 Bolt Pillow Block; 30MM Bore; 42.9MM Base to Center Height; Set Screw Mount; Ball Bearing; 108MM Minimum Bolt Spacing; 127MM Bolt Spacing Maximum; Relubricatable; Cast Iron; Double Land Riding Rubbe
Category	Pillow Block
UNSPSC	31171511
Harmonized Tariff Code	8483.20.40.40
Noun	Bearing
Keyword String	Pillow Block
Manufacturer URL	http://www.ina.com
Manufacturer Item Number	RASEY30
Weight / LBS	2.87
Bolt Spacing Maximum	5 Inch 127Millimeter
Length Thru Bore	1.5 Inch 38.1 Millimeter
Actual Bolt Center to Center	0 Inch 0Millimeter
Bore	1.181 Inch 30 Millimeter
Nominal Bolt Center to Center	4.8 Inch 121 Millimeter
Base to Center Height	1.689 Inch 42.9 Millimeter



KFY MANUFACTURING MEXICO LIMITED

Bolt Spacing Minimum	4.252 Inch 108Millimeter
----------------------	----------------------------