




KFY MANUFACTURING MEXICO LIMITED



35 mm x 62 mm x 20 mm NTN NN3007KC1NAP4 cylindrical roller bearings

Bearing No. NN3007KC1NAP4

NN3007KC1NAP4 Bearing 2D drawings and 3D CAD models

Size	35x62x20 mm
Bore Diameter	35 mm
Outer Diameter	62 mm
Width	20 mm
d	35 mm
D	62 mm
B	20 mm
C	20 mm
Category	Cylindrical Roller Bearings
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight / Kilogram	0.25
Product Group	B04270
Bore Profile	Tapered
Cage Material	Brass
Precision Class	ABEC 7 ISO P4
Number of Rows of Rollers	Double Row
Separable	Outer Ring - Both Sides
Rolling Element	Cylindrical Roller Bearing
Profile	Complete with Outer and Inner Ring
Snap Ring	No
Internal Clearance	C1NA
Retainer	Yes
Relubricatable	Yes



KFY MANUFACTURING MEXICO LIMITED

Inch - Metric	Metric
Other Features	3 Rib Inner Ring Plain Outer Ring Precision Bearing Cage on Inner Ring OD
Long Description	35MM Bore; Tapered Bore Profile; 62MM Outside Diameter; 20MM Width; Brass Cage Material; ABEC 7 ISO P4; Double Row; Outer Ring - Both Sides Separable; No Snap Ring; Relubricatable; C1NA Internal CI
Category	Cylindrical Roller Bearing
UNSPSC	31171547
Harmonized Tariff Code	8482.50.00.00
Noun	Bearing
Manufacturer URL	http://www.ntnamerica.com
Manufacturer Item Number	NN3007KC1NAP4
Weight / LBS	0.539
Bore	1.378 Inch 35 Millimeter
Width	0.787 Inch 20 Millimeter
Outside Diameter	2.441 Inch 62 Millimeter
bore diameter:	35 mm
maximum rpm:	13000 rpm
outside diameter:	62 mm
bearing material:	Hardened Alloy Steel
overall width:	20 mm
cage material:	High Strength, 2 piece, Machined Brass
flanges:	(3) Inner Ring
finish/coating:	Uncoated
bore type:	Tapered 1:12
closure type:	Open



KFY MANUFACTURING MEXICO LIMITED

number of rows:	2
resistance features:	Clean Room, Vacuum
internal clearance:	C1NA
outer ring width:	20 mm
operating temperature range:	-40 to 120 ° C
fillet radius:	1 mm
dynamic load capacity:	38000 N
series:	NN30K
static load capacity:	47500 N
manufacturer product page:	Click here
precision rating:	ISO Class 4